




# COMMAND SERIES MC5

## QUICK START GUIDE

**IMPORTANT  
READ BEFORE USING**


CERTIFICATION MODEL:  
MOUSE: MWBB0020  
DONGLE: MWAA0020

## PACKAGE CONTENTS



- 1 – COMMAND SERIES MC5
- 2 – 8K Wireless USB-A Transmitter
- 3 – PhantomFlex™ 8K USB-C to USB-A Charging Cable
- 4 – Quick Start Insert

## DEFAULT BUTTON ASSIGNMENT




- 1 = Left click
- 2 = Right click
- 3 = Middle mouse button
- 4 = Browser backward
- 5 = Browser forward
- 6 = Easy-shift
- 7 = DPI cycle
- 8 = Profile Cycle
- 9 = Scroll up
- 10 = Scroll down
- 11 = Scroll left
- 12 = Scroll right
- 13 = Previous track
- 14 = Next track
- 15 = Play/pause


Note: Button functions can be customized via Swarm II software.

## SETUP


1




2



3




4



1. Remove the protective plastic film from the mouse feet.
2. Plug the USB-A Transmitter into any free USB port.
3. Select 2.4GHz mode on the power slider underneath the mouse to connect via the dongle.
4. Navigate to [www.turtlebeach.com/swarm2](http://www.turtlebeach.com/swarm2) and download the latest driver software. Complete the installation to get access to all software features and setup.


5



5. Select Bluetooth® mode to connect via Bluetooth®. Via Bluetooth®: The mouse will enter pairing mode on first use, complete the connection via your device's Bluetooth® settings. After a successful Bluetooth® pairing, the LED will blink twice and switch to current profile lighting effect.

To manually enter in pairing mode, hold down buttons 3, 4 & 5 for 3 seconds to enter pairing mode.

## LED INDICATION



- When the battery is below 10%, the RGB LED will periodically blink red.
- When the mouse is charging, via USB cable, the RGB LED will display a colour corresponding to the battery level:
  - 0-10%            Red
  - 10-50%        Orange
  - 50-100%      Green
- Once the mouse is plugged in, pressing the DPI button will change the DPI and show a corresponding color on the indicator LED for 2 seconds. The color is shown as below:
  - 1<sup>st</sup> stage        Red (default DPI value: 400)
  - 2<sup>nd</sup> stage        Green (default DPI value: 800)
  - 3<sup>rd</sup> stage        Cyan (default DPI value: 1200)
  - 4<sup>th</sup> stage        Blue (default DPI value: 1600)
  - 5<sup>th</sup> stage        Pink (default DPI value: 3200)
- The number of active DPI stages on your mouse can be changed in the driver software, along with the DPI value for each stage.

## **TECHNICAL SPECIFICATION**

- Connectivity: 2.4 GHz Wireless, Bluetooth®, USB-A
- Sensor: Owl-Eye™ 30k Optical, glass surface compatible
- Min/Max DPI: 50 / 30,000
- IPS Tracking Speed: 750
- USB Report Rate: 8,000 Hz
- Acceleration: 70 G
- On-Board Memory: Yes
- Software: Swarm II
- Weight: 99g
- Battery Lifetime:
  - Up to 90h @1000Hz polling rate
  - Up to 35h @8000Hz polling rate

## **SYSTEM REQUIREMENTS**

- Windows® 10 and up
- USB 2.0 and higher
- Internet connection (for driver software)